

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	230	(LSSD) and (scan with chain\$2)	USPAT	OR	ON	2005/05/01 19:47
S2	26	(LSSD) and (scan with chain\$2) and (e-fuse fuse)	USPAT	OR	ON	2005/04/06 18:44
S3	25	(LSSD) and (scan with chain\$2) and (e-fuse fuse) and (password PIN code ID)	USPAT	OR	ON	2005/04/06 18:45
S4	3	(LSSD) and (scan with chain\$2) and (e-fuse fuse) and ((password PIN code ID) near10 (e-fuse fuse))	USPAT	OR	ON	2005/04/06 18:50
S5	6	(LSSD) and (scan with chain\$2) and (e-fuse fuse) and ((password PIN code ID) near10 (e-fuse fuse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:45
S6	34	(scan with chain\$2) and (e-fuse fuse) and ((password PIN code ID) near10 (e-fuse fuse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:54
S7	18	(PROM) near3 password\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:04
S8	1212	(PROM) near3 (ID PIN code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:04
S9	1018	(PROM) near3 (PIN code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:04
S10	853	(PROM) near3 (code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:05

S11	0	(PROM) near3 (code) and (scane adj chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:05
S12	2	(PROM) near3 (code) and (scan adj chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:07
S13	4	(PROM) near3 (PIN) and (scan adj chain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:12
S14	92	permanent\$5 near2 password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:12
S15	15	permanent\$5 near2 password\$2 same (register circuit fuse rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 11:12
S16	3947	(scan with chain\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 18:50
S17	361	(scan with chain\$3) same (password code)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 18:52
S18	192	(scan with chain\$3) same (password code) and @py<"2002"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 18:51
S19	191	S18 not ibm.as.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 18:51
S20	6	(scan with chain\$3) same (password)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 18:53

S21	5898	(register\$3 latch\$3) with password	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 18:55
S22	90	(latch\$3) with password	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:05
S23	1349	(e-fuse e adj fuse "electronic fuse")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:05
S24	1349	(e-fuse (e adj fuse) "electronic fuse")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:05
S25	1	(e-fuse (e adj fuse) "electronic fuse") with password	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:06
S26	177	permanent with password	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:10
S27	54	permanent near2 password	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:10
S28	2	permanent near2 password same (ROM)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:11
S29	2	permanent near2 password same (PROM ROM)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:11
S30	4	permanent near2 password same (fuse)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:11
S31	4	permanent near2 password same (fuse) not ibm.as.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/14 19:11
S32	7	password with fuse	USPAT	OR	ON	2005/04/16 18:13
S33	254	id with fuse	USPAT	OR	ON	2005/04/16 18:13
S34	228	(security) with fuse	USPAT	OR	ON	2005/04/16 18:13

S35	9	(security) with fuse same (password "security code" "security id")	USPAT	OR	ON	2005/04/16 18:13
S36	1614	713/200.ccls.	USPAT	OR	ON	2005/05/01 19:47